

MIG CHAMP INVERTER WELDER



Technical Specifications

Input Power Voltage Single Phase:	AC240V
Rated MAX Input Current (A):	29
Rated I1EFF Input Current (A):	17
Rated Power Capacity (KVA):	7
Current Adjustment Range (A) MMA:	10 - 160
Current Adjustment Range (A) MIG:	10 - 190
Voltage Adjustment Range (V) MIG:	15.5 > 23
No Load Voltage (V):	53
Duty Cycle 40°C :	MMA 35% @ 160 AMPS 100% @ 95 AMPS MIG 35% @ 175 AMPS 100% @ 103 AMPS
Power Factor:	0.72
Protection Class:	IP21S
Insulation Class:	F
Weight:	19 kgs
Dimensions:	520 x 240 x 360 mm

Features

- Tig Lift Arc
- DC MMA
- Gas/Gasless MIG
- Spool size 5kg
- Euro Connect MIG Torch
- Spool Gun Ready
- Voltage Regulator Device

Part Number	Includes
IWS190R	<ul style="list-style-type: none"> • Machine • ZMB24-3 Gun • Lead Kit • Regulator

Independent Wholesale Welding Supply pursue a policy of continuous research and development and therefore reserve the right to change the specification, design or price without prior notice.